

CLAIMS

5 1. A method of preventing false acceptance in a system for checking fingerprints which comprises a sensor (1), characterised by the step of detecting a latent fingerprint on the sensor (1).

10 2. A method according to claim 1, wherein the step of detecting a latent fingerprint comprises the steps of recording (100) a fingerprint by means of the sensor and, on the basis of the location of the recorded fingerprint on the sensor, evaluating whether the recorded fingerprint originates from a latent fingerprint on the sensor or from a finger placed on the sensor.

15 3. A method according to claim 2, wherein the evaluation step comprises comparing (130) the location of the recorded fingerprint on the sensor with the location of a previously recorded fingerprint on the sensor.

20 4. A method according to claim 2 or 3, further comprising the step of, if the location of the recorded fingerprint on the sensor and the location of the previously recorded fingerprint essentially correspond, considering the recorded fingerprint as originating from a latent fingerprint.

25 5. A method according to claim 3 or 4, wherein the previously recorded fingerprint is the immediately preceding fingerprint which was considered as originating from a finger placed on the sensor.

30 6. A method according to claim 3 or 4, wherein the previously recorded fingerprint is the immediately preceding fingerprint which was accepted.

35 7. A method according to any one of claims 2-6, further comprising the step of storing (150) information about the location of the recorded fingerprint on the sensor if the recorded fingerprint is not considered as originating from a latent fingerprint.

0942334860
701

8. A method according to any one of claims 3-7,
wherein the step of comparing (130) the location of the
recorded fingerprint on the sensor with the location of
a previously recorded fingerprint comprises comparing the
5 location on the sensor of at least one feature of the
recorded fingerprint with the location on the sensor of
the corresponding feature of the previously recorded
fingerprint.

9. A method according to any one of claims 3-7,
10 wherein the step of comparing (130) the location of the
recorded fingerprint on the sensor with the location of
a previously recorded fingerprint comprises comparing the
location on the sensor of a partial area of the recorded
fingerprint with the location of a corresponding partial
15 area of the previously recorded fingerprint.

10. A method according to any one of claims 3-7,
further comprising the step of matching (110) at least
one partial area of a reference fingerprint with the
recorded fingerprint to obtain at least one matching
20 partial area of the recorded fingerprint, wherein the
step of comparing the location of the recorded finger-
print on the sensor with the location of a previously
recorded fingerprint comprises comparing the location on
the sensor of the matching partial area with the location
25 of the corresponding partial area of the previously
recorded fingerprint.

11. A method according to any one of claims 2-10,
wherein the comparison of the location of the recorded
fingerprint on the sensor with the location of a pre-
30 viously recorded fingerprint is carried out only in the
event that a matching between a reference fingerprint and
the recorded fingerprint reveals that the recorded
fingerprint originates from an authorised person.

12. A system for fingerprint checking comprising a
35 sensor, characterised in that the system is
arranged to detect a latent fingerprint on the sensor (1)
so as to prevent false acceptance.

09842672-042701

13. A system according to claim 12, wherein the system further is arranged to record (100) a fingerprint by means of the sensor and, on the basis of the location of the fingerprint on the sensor, evaluate whether the recorded fingerprint originates from a latent fingerprint on the sensor or from a finger placed on the sensor.

14. A system according to claim 13, wherein the system further comprises a comparison means (2) for comparison of the location of a recorded fingerprint on the sensor (1) with the location of a previously recorded fingerprint on the sensor.

15. A system according to any one of claims 12-14, wherein the sensor (1) has an integral coordinate system.

16. A storage medium for digital information, which medium is readable for a computer system, the storage medium containing a computer program for preventing false acceptance of fingerprints, characterised in that said program implements the method in any one of claims 1-11.

Handwritten notes and markings on the left margin, including a large bracket and the text "All AM".